

ATLANTIS[®]

30
YEARS OF
TRUST AND
LEADERSHIP

**Your favourite
Hot Beverage at
the press of a button!**



**#1 Preferred
Beverage Vending Solutions Company
in India**

ATLANTIS[®] Classic

The Traditional Favourite



- High-capacity premix-based hot beverage dispenser
- Dispensing speed of up to 2 cups/min.
- Membrane switch panel
- Magnetic sealing door
- Built-in cup counter
- Half drink dispensing option

AVAILABLE :

2/3/4 Lane Hot Beverage Dispenser

Technical Specifications

Model CLASSIC	
Description	2/3/4 Lane
Structure	
Body	Powder Coated / Pre Coated Galvanized Iron
Front Door	Moulded ABS
Hot Tank	SS 304
Premix Canisters	2/3/4 Nos
Technical Specifications	
Drink Options	2/3/4
Dedicated Hot Water	Not Available
Hot Tank	3 Ltr (1500 W)
Start-Up Time	Up to 8 Mins
Dispensing Rate	Continuous dispensing up to 22 cups of 100 ml in one time
Canister Capacity	1.1 Kg
Water Input	Bubble Top/Pump (optional)
Auto Flush	Programmable

Electrical Specifications			
Power Source	220 - 240 V, 50/60 Hz, 1 Phase		
Power Consumption	1500 W @ 230 V		
Unit Specifications	2 Lane	3 Lane	4 Lane
Net Weight (Kg)	14.95	18.20	19.80
Gross Weight (Kg)	17.05	20.50	22.10
Unit Dimensions (WxDxH) in mm	325 x 375 x 635	325 x 485 x 635	
Packaged Dimensions (WxDxH) in mm	373 x 407 x 675	373 x 522 x 710	

* Design & specifications are subject to change due to continuous product quality improvements | * Accessories shown are not part of standard equipment

* Actual design, colour and specifications may vary from the images shown

ATLANTIS[®]

NEO

The Popular Choice



- High capacity premix-based hot beverage dispenser
- Dispensing speed of up to 2 cups/min.
- Feather touch buttons
- Half drink dispensing option
- Built-in cup counter
- Dedicated hot water lane
- Dual water supply - bubble top and pump

AVAILABLE:

2/3/4 Lane Hot Beverage Dispenser

OPTIONAL EXTERNAL COIN BOX AVAILABLE

Technical Specifications

Model	NEO
Description	2/3/4 Lane
Structure	
Body	Powder Coated / Pre Coated Galvanized Iron
Front Door	Moulded ABS
Hot Tank	SS 304
Premix Canisters	2/3/4 Nos
Technical Specifications	
Drink Options	2/3/4
Dedicated Hot Water	Available
Hot Tank	3 Ltr (1500 W)
Start-Up Time	Up to 8 Mins
Dispensing Rate	Continuous dispensing up to 22 cups of 100 ml in one time
Canister Capacity	1.1 Kg
Water Input	Bubble Top/Pump (optional)
Auto Flush	Programmable

Electrical Specifications			
Power Source	220 - 240 V, 50/60 Hz, 1 Phase		
Power Consumption	1500 W @ 230 V		
Unit Specifications	2 Lane	3 Lane	4 Lane
Net Weight (Kg)	14.65	18.50	19.30
Gross Weight (Kg)	16.75	20.80	21.80
Unit Dimensions (WxDxH) in mm	325 x 375 x 635		
Packaged Dimensions (WxDxH) in mm	373 x 407 x 675		

* Design & specifications are subject to change due to continuous product quality improvements | * Accessories shown are not part of standard equipment

* Actual design, colour and specifications may vary from the images shown

ATLANTIS[®]

SPECIAL SELECT

Your Cup of Choice



- New trendy design with feather-touch buttons for dispensing
- Dual water supply - bubble top and pump
- Flush / Cup counter / Half drink options
- Dedicated hot water button
- For predetermined ingredients: Instant Coffee, Dairy Whitener (With sugar), Dairy Whitener (No added sugar) & Premix Tea

SEVEN BEVERAGE OPTIONS[#]:

Black Coffee, Cappuccino (No added sugar), Cappuccino (With sugar), Café Latte, Hot Milk (No added sugar), Hot Milk (With sugar) & Premix Tea

The predetermined options can be customised as per individual preference.

Technical Specifications

Model	SELECT
Description	(Recipe Based HBD)
Structure	
Body	Powder Coated / Pre Coated Galvanized Iron
Front Door	Moulded ABS
Hot Tank	SS 304
Premix Canisters	4 Nos
Technical Specifications	
Drink Options	Multi
Dedicated Hot Water	Available
Hot Tank	3 Ltr (1500 W)
Start-Up Time	Up to 8 Mins
Dispensing Rate	Continuous dispensing up to 22 cups of 100 ml in one time
Canister Capacity	1.1 Kg
Water Input	Bubble Top/Pump
Auto Flush	Programmable

Electrical Specifications	
Power Source	220 - 240 V, 50/60 Hz, 1 Phase
Power Consumption	1500 W @ 230 V
Unit Specifications	Multi Option
Net Weight (Kg)	21.60
Gross Weight (Kg)	22.50
Unit Dimensions (WxDxH) in mm	325 x 485 x 635
Packaged Dimensions (WxDxH) in mm	373 x 522 x 710

* Design & specifications are subject to change due to continuous product quality improvements | * Accessories shown are not part of standard equipment

* Actual design, colour and specifications may vary from the images shown



ATLANTIS[®] Cup Shup

Press & Hold to Dispense

- Precise temperature stability
- Dual beverage mode
- Quick heating; ready to serve in under 8 minutes at startup
- Low-maintenance design

AVAILABLE:

2 Lane Hot Beverage Dispenser

Technical Specifications

Model	CUP SHUP
Description	2 Lane
Structure	
Body	Powder Coated / Pre Coated Galvanized Iron
Front Door	Powder Coated / Pre Coated Galvanized Iron
Hot Tank	SS 304
Premix Canisters	2 Nos
Technical Specifications	
Drink Options	2
Dedicated Hot Water	Available
Hot Tank	3 Ltr (1400 W)
Start-Up Time	Manual (Dispensing till pressing the key)
Dispensing Rate	Continuous dispensing up to 22 cups of 100 ml in one time
Canister Capacity	1.1 Kg
Water Input	Bubble Top/Pump
Auto Flush	NA

Electrical Specifications	
Power Source	220 - 240 V, 50/60 Hz, 1 Phase
Power Consumption	1400 W @ 230 V
Unit Specifications	2 Lane
Net Weight (Kg)	16.40
Gross Weight (Kg)	18.40
Unit Dimensions (WxDxH) in mm	325 x 375 x 635
Packaged Dimensions (WxDxH) in mm	373 x 407 x 675

* Design & specifications are subject to change due to continuous product quality improvements | * Accessories shown are not part of standard equipment

* Actual design, colour and specifications may vary from the images shown

ATLANTIS[®]

COMPACT

Dail-a-Taste Feature



- Light weight, full ABS plastic body
- Ideal for small offices
- Unique 'In-cup' mixing concept
- User adjustable premix & water quantity for each cup
- In-built 5 litres capacity storage tank for water
- Low power requirement of only 500 watts

AVAILABLE :
2 Lane Hot Beverage Dispenser

Technical Specifications

Model	COMPACT
Description	2 Lane
Structure	
Body	Moulded ABS
Front Door	Moulded ABS
Hot Tank	SS 304
Premix Canisters	2 Nos
Technical Specifications	
Drink Options	2
Dedicated Hot Water	Available
Hot Tank Heater	1 Ltr (500 W)
Start-Up Time	Up to 8 Mins
Dispensing Rate	Continuous dispensing up to 10 cups of 100 ml in one time
Canister Capacity	1.1 Kg
Water Input	Manual Filling
Auto Flush	NA

Electrical Specifications	
Power Source	220 - 240 V, 50/60 Hz, 1 Phase
Power Consumption	500 W @ 230 V
Unit Specifications	2 Lane
Net Weight (Kg)	5.50
Gross Weight (Kg)	7.00
Unit Dimensions (WxDxH) in mm	285 x 350 x 465
Packaged Dimensions (WxDxH) in mm	350 x 405 x 530

* Design & specifications are subject to change due to continuous product quality improvements | * Accessories shown are not part of standard equipment

* Actual design, colour and specifications may vary from the images shown

COFFEE PREMIXES

3in1

COFFEE + MILK
+ SUGAR



1 Kg Pack



1 Kg Pack



1 Kg Pack



1 Kg Pack



750 g Pack

TEA PREMIXES

3in1

TEA + MILK
+ SUGAR



1 Kg Pack



1 Kg Pack



1 Kg Pack



1 Kg Pack



750 g Pack

OTHER BEVERAGE PREMIXES



500 g Pack



500 g Pack



500 g Pack



1 Kg Pack



1 Kg Pack

ABOUT US

Welcome to the world of ATLANTIS, India's trusted name for Hot Beverage Dispensers, and Instant Beverage Premixes.

OUR JOURNEY OF TASTE

Started in 1996, Vending Updates India Pvt. Ltd. has been providing quality beverage vending products and services for corporate and institutions alike.

30+
YEARS

We have over 30 YEARS of manufacturing experience in this industry and have launched a wide range of innovative and customer friendly products.



Our vending machines manufacturing facility is ISO 9001:2015 certified which is located in the Integrated Industrial Estate of SIDCUL, Pantnagar (Uttarakhand). Our Hot Beverage Dispensers are CE/CB certified to meet global quality requirements.



Our premix manufacturing facility is **BRCGS** certified with state of the art processes to meet stringent international food safety standards.



Known for Quality, Reliability and Durability, our products are being used by millions of satisfied customers, serviced by our nationwide network of offices and channel partners.

So, go ahead and complete your office with **ATLANTIS** !



VENDING UPDATES INDIA PVT. LTD.

Plot No. 35, Sector 155, Noida,
District Gautam Budh Nagar,
UP- 201310, India. **Mob. - 9650123205**



atlantisplus.com



Scan to visit
our website